



LED Light Bulb Set (GU10)

as dimmable light

This SCHWAIGER[®] set consists of two LED light bulbs (GU10 socket) and one remote control. The LED light bulbs can be dimmed to the light intensity desired. The remote control

allows for operating up to 16 LED light bulbs, either individually or in groups.



ARTICLE INFORMATION

Article Nr
EAN

HALSET400
4004005018790



FEATURES (HALSET400)

- SET consists of:
 - » 2x LED Light Bulb (GU10)
 - » 1x Remote Control
- light bulbs can be operated via remote control directly
- light bulbs can be operated in groups
- light bulbs can be switched on or off
- battery-operated
- content: 2x LED light bulb, remote control, 2x battery (LR03/AAA), user manual

TECHNICAL DATA

Integrated protocols	ZigBee v3.0	Colour shade	warm white
Energy efficiency	A+	Base	GU10

LED LIGHT BULB (GU10)

- dimmable light
- adjustable light intensity (brightness)
- operation with the SCHWAIGER App via gateway or directly via remote control (ZHF02-MK)
- content: light bulb, user manual

TECHNICAL DATA

Integrated protocols	ZigBee v3.0	Dimmable	yes
Energy efficiency	A+	Service life	25000 h
Colour shade	warm white	Switching cycles	25000 x
Lumen	350 Lm	Operating temperature	-20 bis 40 °C
Energy consumption	5 kWh / 1000 h	Power supply	220 - 240 V AC , 50/60 Hz
Start-up time	< 1 s	Colour	white
Base	GU10	Dimensions (width)	50 mm
Performance	4.8 W	Dimensions (height)	54 mm
Corresponds to old	50 W	Dimensions (depth)	50 mm
Kelvin	2,700 K	Packaging	carton
Reflected beam angle	36 °		

REMOTE CONTROL

- operation of LED lamps (ZigBee 3.0 generation) of the HOME4YOU series
- light bulbs can be switched on or off
- adjustable light intensity (brightness)
- adjustable colour temperature
- adjustable RGBW light colour
- light bulbs can be operated in groups
- reset button on the back
- battery-operated
- content: remote control, 2x battery (LR03/AAA), user manual

TECHNICAL DATA

Integrated protocols	ZigBee
Range	30 m
Battery type	LR03 (AAA)
Power supply	via battery: 2 pieces
Weight (set)	45 g

Dimensions (width)	46 mm
Dimensions (height)	114.5 mm
Dimensions (depth)	22 mm
Packaging	carton