



★★★  
ULTIMATE

10 m  
↔

115  
dB

7,3  
mm

4x  
shielded

KLASSE  
A  
CLASS

## SAT Coaxial Cable (115 dB)

This SCHWAIGER® coaxial cable meets very high requirements of satellite and cable TV systems. The 115 dB shielding provides best possible protection against electromagnetic signal interference and radio interference of any kind. In addition, the cable structure

makes for very low signal loss. The cable can be shortened to any length desired and can be equipped with compatible F connectors. A suitable stripping tool is available from SCHWAIGER®.



### ARTICLE INFORMATION

Article Nr  
EAN

KOX11510 052  
4004005184754



Last updated: 23.03.2016



## FEATURES (KOX11510 052)

- shielded 4 times to effectively reduce electromagnetic interference
- high shielding efficiency guaranteed
- moisture-resistant with high long-term stability
- high density and very good shielding efficiency
- compatible F connectors: Ø 7,3 mm (Schwaiger FST 73xx)

## TECHNICAL DATA

quality	*** Ultimate
Norm/Classification	class A
Impedance	75 Ohm
Cable design	1.1 mm (inner conductor) 4.6 mm (dielectric) 7.3 mm (sheath)
Shielding value	115 dB
Shielding	shielded 4 times
Shielding material	64-wire aluminium braid/aluminium composite film/64-wire aluminium braid/aluminium composite film
Attenuation on 100 m	4 dB up to 50 MHz 6 dB up to 100 MHz 12 dB up to 470 MHz 18 dB up to 860 MHz 20 dB up to 950 MHz 26 dB up to 1750 MHz 30 dB up to 2150 MHz 32 dB up to 2400 MHz

Inner conductor	CCS
Cable length	10 m
Material of product	plastic
Colour	white
packaging	shrink foil

Last updated: 23.03.2016