



★★★  
ULTIMATE

50 m  
↔

135  
dB

8,2  
mm

5x  
shielded

KLASSE  
A  
CLASS

## SAT Coaxial Cable (135 dB)

This SCHWAIGER® coaxial cable meets the highest requirements of satellite and cable TV systems. Due to its extremely high shielding value of 135 dB, this cable offers optimum signal quality. Its structure also makes for very low signal loss. The cable can be shortened to

any length desired and be equipped with compatible F connectors. A suitable stripping tool is available from SCHWAIGER®.



### ARTICLE INFORMATION

Article Nr  
EAN

KOX13550 052  
4004005185416



Last updated: 23.03.2016



## FEATURES (KOX13550 052)

- shielded 5 times to effectively reduce electromagnetic interference
- high shielding efficiency guaranteed
- moisture-resistant with high long-term stability
- high density and very good shielding efficiency
- compatible F connectors: Ø 8.2 mm (SCHWAIGER® FST 8204)

## TECHNICAL DATA

Norm/Classification	class A
Coverage	80 %
Impedance	75 Ohm
Cable design	1.3 mm (inner conductor) 4.8 mm (dielectric) 8.2 mm (sheath)
Shielding value	135 dB
Shielding	shielded 5 times
Shielding material	aluminium composite film (double)/ 128-wire aluminium braid/aluminium composite film/aluminium composite film/128-wire aluminium braid

Inner conductor	CCS
Cable length	50 m
Material of product	plastic
Colour	white
packaging	shrink foil

Last updated: 23.03.2016