

## Broadband Pass-Through Socket (11 dB)

This SCHWAIGER® pass-through antenna socket is suitable for use on CATV, MATV and broadband cable TV systems. This wall socket is provided with two directional couplers. Thanks to the special clamping technique, the cable connections do not have to be screwed.




### ARTICLE INFORMATION

Article Nr  
EAN

RDS646/11 011  
4004005646009



Last updated: 23.03.2016



## FEATURES (RDS646/11 011)

- hinged clamp for fastening of the outer conductor (max 7.5 mm)
- clamping technology for screwless fastening of the inner conductor (Ø 0.8 - 1.3 mm)
- crimping fastener for plaster inserts (55mm)
- Normen, siehe Konformitätserklärung (Support & Service)

## TECHNICAL DATA

Norm/Classification	class A
Connections	1x IEC jack 1x IEC connector
Connections (input)	1x detachable contact clamping spring
Connections (output)	1x detachable contact clamping spring
Frequency range	5 - 2150 MHz
Isolation	bis 862 MHz > 38 dB (TV / radio) bis 2150 MHz > 32 dB (TV / radio)

Tap loss	(typ.) 11 dB (terrestrial) (typ.) 12,5 dB (SAT)
Transmission loss	5 - 862 MHz 2,5 dB (typical) 950 - 2150 MHz 3,5 dB (typical)
Mounting depth	22 mm
Material of product	aluminium die cast corrosion-protected
Dimensions (width)	70 mm
Dimensions (height)	66 mm
packaging	carton

Last updated: 23.03.2016