

## Broadband Pass-Through Socket (15 dB)

This SCHWAIGER® pass-through antenna socket is suitable for use on CATV, MATV and broadband cable TV systems. This wall socket is provided with two directional couplers. Thanks to the special clamping technique, the cable connections do not have to be screwed.




### ARTICLE INFORMATION

Article Nr  
EAN

RDS646/15 011  
4004005646023



Last updated: 23.03.2016



## FEATURES (RDS646/15 011)

- hinged clamp for fastening of the outer conductor (max 7.5 mm)
- clamping technology for screwless fastening of the inner conductor (Ø 0.8 - 1.3 mm)
- crimping fastener for plaster inserts (55mm)
- Normen, siehe Konformitätserklärung (Support & Service)

## TECHNICAL DATA

Norm/Classification	class A	Tap loss	(typ.) 15 dB
Connections	1x IEC jack 1x IEC connector	Transmission loss	5 - 862 MHz 1,2 dB (typical) 950 - 2150 MHz 2 dB (typical)
Connections (input)	1x detachable contact clamping spring	Mounting depth	22 mm
Connections (output)	1x detachable contact clamping spring	Material of product	aluminium die cast corrosion-protected
Frequency range	5 - 2150 MHz	Dimensions (height)	70 mm
Isolation	bis 862 MHz > 38 dB (TV / radio) bis 2150 MHz > 32 dB (TV / radio)	Dimensions (depth)	66 mm
		packaging	carton

Last updated: 23.03.2016