



☆☆☆
STANDARD

HD TV tauglich
suitable



Camping Satellite System

portable

This HDTV-compatible SCHWAIGER® satellite system is specially designed for mobile use. With this package, you can enjoy the program variety of satellite TV while camping. Simply set up the system and connect it to a television with a built-in tuner, ready. The necessary components SAT mirror, LNB, connection

cable and even a universal remote control are all included. The small mobile satellite system is delivered in a transport case and also contains the complete mounting accessories as well as a practical compass, so that the system can always be precisely aligned.

ARTICLE INFORMATION

Article Nr
EAN

SAT3400UFB
4004005033656



FEATURES (SAT3400UFB)

- SET consists of:
 - » 1x Steel Offset Antenna (35 cm)
 - » 1x Digital Single LNB
 - » 1x SAT Connection Cable (75 dB)
 - » 1x Angled F Quick Adapter
 - » 1x 2 IN 1 Universal Remote Control
- reception system for setting up a satellite system for 1 subscriber
- independent reception of all available channels for the subscriber of this reception system
- all necessary mounting accessories included
- Solid carrying case for easy storage and transport of all components

TECHNICAL DATA

STEEL OFFSET ANTENNA (35 CM)

TECHNICAL DATA

Colour light grey Packaging plastic case

DIGITAL SINGLE LNB

- reception system for setting up a satellite system for 1 subscriber
- suitable for multifeed systems
- F connectors protected by weather-resistant rubber grommet
- weather protection due to weather-resistant plastic cover
- content: 1x Digital Single LNB

TECHNICAL DATA

Quality	STANDARD	Polarisation	isolation: > 25 dB
Reception system	SINGLE (1 subscriber)	Power supply	vertical: 11,5 - 14,0 V horizontal: 16,0 - 19,0 V
Connections	1x F jack	Feed diameter	40 mm
Input frequency	10,70 - 11,70 GHz (low) 11,70 - 12,75 GHz (high)	Material of product	plastic weather-resistant
Output frequency	950 - 2,150 MHz	Colour	light grey
Oscillation frequency	9,75 GHz (low) 10.6 GHz (high)	Dimensions (width)	39 mm
Control function	0 kHz (low) 22 kHz (high)	Dimensions (height)	100 mm
		Dimensions (depth)	54 mm
		Packaging	carton

SAT CONNECTION CABLE (75 DB)

- shielded twice for low susceptibility to electromagnetic interference
- solid nickel-plated internal PIN
- solid F connector, moulded on both sides
- connector with knurled nut
- content: 1x SAT connection cable

TECHNICAL DATA

Quality	BASIC
Connections	2x F connector
Cable length	10 m
Impedance	75 Ohm
Plugs	plastic fully shielded
Cable design	0.5 mm (inner conductor) 2.8 mm (dielectric) 5 mm (sheath)

Shielding	shielded twice
Shielding value	> 75 dB
Shielding material	aluminium composite film/64-wire braid
Colour	white
Packaging	paper strip

ANGLED F QUICK ADAPTER

- for connecting cables or connections equipped with F connector or F jack
- Quick plug system
- transition piece, 90° angle
- content: 1x F-Quick angle adapter

TECHNICAL DATA

Quality	PROFESSIONAL
Connections	1x F jack 1x 90° angled F Quick connector

Content (package)	1
Colour	silver
Packaging	sliding bilster SBL1S-18

2 IN 1 UNIVERSAL REMOTE CONTROL

- replacement remote control for all Samsung, LG, Sony, Philips & Panasonic TV sets
- easy learning via IR command of the original remote control
- easy usage
- key embossing and orientation points above the buttons for easy operation
- large range and radiation angle of the IR signal
- battery-operated (batteries included)
- LEDs above buttons A and B to indicate the currently controlled device
- ergonomic design: optimum weight distribution and shape of the housing
- content: remote control, 2x battery (LR03/AAA), user manual

TECHNICAL DATA

Quality	PROFESSIONAL
Colour	black
Learning function	yes
Controllable devices	Samsung, LG, Sony, Philips & Panasonic TV's (TV, LCD, LED, PLASMA)/SAT Receivers/Blu-ray player/DVD player/video recorder

Preprogrammed	yes
Keypad lighting	yes (LED above buttons A and B)
Power supply	via battery: 1,5 V (2 pieces)
Battery type	2x AAA (micro)
Packaging	carton